HOUSTON-GALVESTON AREA COUNCIL



Temporary Pedestrian/Bicycle Counters

Data Summary

Deployment Summary					
Sponsoring Agency	Houston-Galveston Area Council				
Sponsoring Agency	Texas Transportation Institute				
Deployment Period	Saturday, August 6, 2016 – Monday, August 22, 2016				
Number of Counters Deployed	20				
Facility Description	Shared-Use Paths, Sidewalks, and Informal Pathways near Hobby Airport (City of Houston)				
Locations Deployed (Houston-Ga	alveston Area Council and Texas Transportation Institute)				
Counter H1	Airport Boulevard Westbound West of Broadway Street				
Counter H2	Airport Boulevard Eastbound West of Broadway Street				
Counter H3	Airport Boulevard Westbound East of Broadway Street				
Counter H4	Airport Boulevard Eastbound East of Broadway Street				
Counter H5	Sims Bayou Trail at Broadway Street				
Counter H6	Sims Bayou Trail at Reveille Park				
Counter H7	Telephone Road Northbound at Oak Vista Street				
Counter T1	Telephone Road Southbound at Oak Vista Street				
Counter T2	Telephone Road Southbound at Sims Bayou				
Counter T3	Telephone Road Northbound at Sims Bayou				
Counter T4	Bellfort Street Westbound at Plainview Street				
Counter T5	Bellfort Street Eastbound at Plainview Street				
Counter T7	Bellfort Street Westbound at Sims Bayou				
Counter T8	Bellfort Street Eastbound at Sims Bayou				
Counter T9	Bellfort Street Westbound at Leonard Street				
Counter T10	Bellfort Street Eastbound at Leonard Street				
Counter T11	Bellfort Street Westbound West of Broadway Street				
Counter T12	Bellfort Street Eastbound West of Broadway Street				
Counter T13	Bellfort Street Westbound East of Broadway Street				
Counter T14	Bellfort Street Eastbound East of Broadway Street				


About the Temporary Pedestrian/Bicycle Counters

The Houston-Galveston Area Council (H-GAC) has temporary counters (TRAFx Infrared Trail Counters: Generation III) that can be borrowed by local governments and transportation agencies to count the number of people using off-street pedestrian and bicycle facilities. Infrared technology is used to count the number of people passing the counter. The counters do not differentiate between pedestrians and bicyclists, but count the total number of users.

The Texas Transportation Institute (TTI) owns additional temporary counters that it deploys along off-street pedestrian and bicycle facilities statewide.

Counter Locations


Shared-Use Paths, Sidewalks, and Informal Pathways along Bellfort Street Corridor



Counter	Location	Total Users	Average Daily Usage	Report Page Num.
H5	Sims Bayou Trail at Broadway Street	1,135	67	22
H6	Sims Bayou Trail at Reveille Park	1,629	96	26
H7	Telephone Road Northbound at Oak Vista Street	281	17	30
T1	Telephone Road Southbound at Oak Vista Street	1,481	87	34
T2	Telephone Road Southbound at Sims Bayou	806	47	38
Т3	Telephone Road Northbound at Sims Bayou	732	43	42
T4	Bellfort Street Westbound at Plainview Street	1,085	64	46
T5	Bellfort Street Eastbound at Plainview Street	644	38	50
T7	Bellfort Street Westbound at Sims Bayou	283	17	54
Т8	Bellfort Street Eastbound at Sims Bayou	36	2	58
Т9	Bellfort Street Westbound at Leonard Street	593	35	62
T10	Bellfort Street Eastbound at Leonard Street	1,230	72	66
T11	Bellfort Street Westbound West of Broadway Street	1,002	59	70
T12	Bellfort Street Eastbound West of Broadway Street	3,075	181	74
T13	Bellfort Street Westbound East of Broadway Street	1,112	65	78
T14	Bellfort Street Eastbound East of Broadway Street	2,567	151	82

Counter Locations

Sidewalks at Broadway Street/Airport Boulevard Intersection



Counter	Location	Total Users	Average Daily Usage	Report Page Num.
H1	Airport Boulevard Westbound West of Broadway Street	395	23	6
H2	Airport Boulevard Eastbound West of Broadway Street	140*	16*	10
H3	Airport Boulevard Westbound East of Broadway Street	411	24	14
H4	Airport Boulevard Eastbound East of Broadway Street	258**	22**	18

*Counter H2 stopped collecting accurate data after Sunday, August 14, 2016.

**Counter H4 stopped collecting accurate data after Wednesday, August 17, 2016.

Hobby Area Livable Centers Study

The Houston-Galveston Area Council, Hobby Area Management District, City of Houston, and Texas Department of Transportation (TxDOT) are working together to develop a plan for the area surrounding William P. Hobby Airport that will identify ways to improve pedestrian accessibility, increase access to transit, promote a range of high-quality housing options, and increase opportunities for private investment. The temporary pedestrian/bicycle counters were deployed within the study area while the plan was being developed.

Pedestrian/Bicycle Activity along Bellfort Street

Pedestrian/bicycle activity was measured along Bellfort Street near Plainview Street, Sims Bayou, Leonard Street, and Broadway Street. Temporary pedestrian/bicycle counters were placed along both sides of Bellfort Street to determine the usage of sidewalks and informal dirt pathways that parallel the eastbound and westbound travel lanes.

Bellfort Street at Plainview Street

Counter	Facility Type	Total Users	Avg. Daily Usage	Avg. Daily Usage (Weekdays)	Avg. Daily Usage (Weekends)
T4	Sidewalk (Adj. to Westbound Lanes)	1,085	64	67	57
T5	Sidewalk (Adj. to Eastbound Lanes)	644	38	37	40

Bellfort Street at Sims Bayou

Counter	Facility Type	Total Users	Avg. Daily Usage	Avg. Daily Usage (Weekdays)	Avg. Daily Usage (Weekends)
T7	Sidewalk (Adj. to Westbound Lanes)	283	17	18	14
Т8	Informal Dirt Path (Adj. to Eastbound Lanes)	36	2	2	2

Bellfort Street at Leonard Street

Counter	Facility Type	Total Users	Avg. Daily Usage	Avg. Daily Usage (Weekdays)	Avg. Daily Usage (Weekends)
Т9	Sidewalk (Adj. to Westbound Lanes)	593	35	39	28
T10	Sidewalk (Adj. to Eastbound Lanes)	1,230	72	70	76

Bellfort Street West of Broadway Street

Counter	Facility Type	Total Users	Avg. Daily Usage	Avg. Daily Usage (Weekdays)	Avg. Daily Usage (Weekends)
T11	Sidewalk (Adj. to Westbound Lanes)	1,002	59	57	63
T12	Sidewalk (Adj. to Eastbound Lanes)	3,075	181	174	194

Bellfort Street East of Broadway Street

Counter	Facility Type	Total Users	Avg. Daily Usage	Avg. Daily Usage (Weekdays)	Avg. Daily Usage (Weekends)
T13	Sidewalk (Adj. to Westbound Lanes)	1,112	65	67	63
T14	Sidewalk (Adj. to Eastbound Lanes)	2,567	151	162	132

Pedestrian/Bicycle Activity along Telephone Road

Pedestrian/bicycle activity was measured along Telephone Road near Oak Vista Street and Sims Bayou. Temporary pedestrian/bicycle counters were placed along both sides of Telephone Road to determine the usage of sidewalks that parallel the northbound and southbound travel lanes.

Counter	Facility Type	Total Users	Avg. Daily Usage	Avg. Daily Usage (Weekdays)	Avg. Daily Usage (Weekends)
H7	Sidewalk (Adj. to Northbound Lanes)	281	17	18	15
T1	Sidewalk (Adj. to Southbound Lanes)	1,481	87	94	75

Telephone Road at Sims Bayou

Counter	Facility Type	Total Users	Avg. Daily Usage	Avg. Daily Usage (Weekdays)	Avg. Daily Usage (Weekends)
Т3	Sidewalk (Adj. to Northbound Lanes)	732	43	43	44
T2	Sidewalk (Adj. to Southbound Lanes)	806	47	52	40

Pedestrian/Bicycle Activity along Airport Boulevard at Broadway Street

Pedestrian/bicycle activity was measured along Airport Boulevard near Broadway Street. Temporary pedestrian/bicycle counters were placed along both sides of Airport Boulevard east and west of Broadway Street to determine the usage of sidewalks that parallel the eastbound and westbound travel lanes.

Airport Boulevard West of Broadway Street

Counter	Facility Type	Total Users	Avg. Daily Usage	Avg. Daily Usage (Weekdays)	Avg. Daily Usage (Weekends)
H1	Sidewalk (Adj. to Westbound Lanes)	395	23	25	21
H2	Sidewalk (Adj. to Eastbound Lanes)	140*	16*	20*	10*
		*Note: Counter H2 stopped collecting accurate data after Sunday, August 14, 2016.			

Airport Boulevard East of Broadway Street

Counter	Facility Type	Total Users	Avg. Daily Usage	Avg. Daily Usage (Weekdays)	Avg. Daily Usage (Weekends)
H3	Sidewalk (Adj. to Westbound Lanes)	411	24	27	19
H4	Sidewalk (Adj. to Eastbound Lanes)	258*	22*	22*	21*
		*Note: Counter H4 st	topped collecting accur	ate data after Wedneso	day, August 17, 2016.

Airport Boulevard Westbound West of Broadway Street

Location Information				
Location Name	Airport Boulevard Westbound West of Broadway Street			
Location Description	Sidewalk along Airport Boulevard Westbound West of Broadway Street near Hobby Airport			
Jurisdiction	City of H	ouston		
Agency Deployed	Houston	Galveston Area Council/Texas Transportation Institute		
GPS Coordinates	29°39'28	.73"N, 95°16'38.55"W		
Surrounding Land Uses	North	Multi-Family Residential, Single-Family Residential		
	South	Hobby Airport		
	East	Multi-Family Residential, Parking Lots/Garages, Hobby Airport		
	West	Parking Lots/Garages, Single-Family Residential, Hobby Airport		
What object was device secured to?	Light Post (#710119)			
Sidewalk Width	4'			
Buffer Width	6.5'			
Street Width	Six-Lane Divided Roadway			
Parallel Parking	No			
Landscaping or Trees	Yes			
Sidewalk Pavement Type	Concrete			
ADA Ramps	Yes			
Sidewalk Condition	Good (So	me Overgrown Vegetation)		
Speed Limit	40 miles	per hour		
Street Lighting	Yes			
Street Traffic Volume	28,100 (7800 Airport Boulevard: TxDOT – 2012)			
Transit	No			
Shade	No			
Have counts been collected by H-GAC at this location before?	No			

Trends

• Usage tends to be higher on weekdays (25 users/day) than during weekends (21 users/day).

- On weekdays, usage is highest in the morning (7:00 a.m. 10:00 a.m.) and midday (12:00 p.m. 1:00 p.m.).
- During weekends, usage is highest in the morning (9:00 a.m. 10:00 a.m.) and evening (7:00 p.m. 8:00 p.m.).







Image 1: Airport Boulevard Westbound West of Broadway Street Facing East




Image 2: Airport Boulevard Westbound West of Broadway Street Facing West

Airport Boulevard Westbound West of Broa	adway Street			
		Select Weather Data*		
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)
Saturday, August 6, 2016	19	98	77	0
Sunday, August 7, 2016	18	100	78	0
Monday, August 8, 2016	22	100	77	0
Tuesday, August 9, 2016	24	101	77	0
Wednesday, August 10, 2016	21	100	79	0
Thursday, August 11, 2016	29	101	82	0
Friday, August 12, 2016	22	99	82	0
Saturday, August 13, 2016	16	97	76	0.83
Sunday, August 14, 2016	14	89	72	1.66
Monday, August 15, 2016	21	86	75	1.43
Tuesday, August 16, 2016	29	82	74	2.05
Wednesday, August 17, 2016	12	83	73	1.73
Thursday, August 18, 2016	27	88	74	0.19
Friday, August 19, 2016	24	92	75	0.39
Saturday, August 20, 2016	24	91	75	0.53
Sunday, August 21, 2016	32	87	76	Т
Monday, August 22, 2016	41	89	73	0.33
Total	395	1		
Average Daily Usage	23			
Average Daily Usage (Weekday)	25			
Average Daily Usage (Weekend)	21			



Time of Day	Average Users Per Hour	Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)	
12:00 a.m.	0.4	0.3	0.5	
1:00 a.m.	0.0	0.0	0.0	
2:00 a.m.	0.2	0.1	0.5	
3:00 a.m.	0.1	0.1	0.2	
4:00 a.m.	0.1	0.0	0.3	
5:00 a.m.	0.4	0.4	0.5	
6:00 a.m.	0.6	0.9	0.2	
7:00 a.m.	2.0	2.5	1.0	
8:00 a.m.	1.7	2.1	1.0	
9:00 a.m.	2.3	2.3	2.1	
10:00 a.m.	0.7	0.5	1.	
11:00 a.m.	0.8	0.8	0.	
12:00 p.m.	1.9	2.5	0.	
1:00 p.m.	1.2	1.5	0.	
2:00 p.m.	1.6	1.8	1.1	
3:00 p.m.	1.3	1.3	1.	
4:00 p.m.	1.1	1.2	1.	
5:00 p.m.	0.9	1.0	0.	
6:00 p.m.	1.1	1.1	1.	
7:00 p.m.	1.8	1.3	2.	
8:00 p.m.	0.9	0.8	1.	
9:00 p.m.	0.8	1.2	0.	
10:00 p.m.	0.5	0.5	0.	
11:00 p.m.	0.8	0.7	1.	



Airport Boulevard Eastbound West of Broadway Street

Location Information				
Location Name	Airport Boulevard Eastbound West of Broadway Street			
Location Description	Sidewalk along Airport Boulevard Eastbound West of Broadway Street near Hobby Airport			
Jurisdiction	City of Houston			
Agency Deployed	Houston-0	Galveston Area Council/Texas Transportation Institute		
GPS Coordinates	29°39'27.8	36"N, 95°16'38.95"W		
Surrounding Land Uses	North	Multi-Family Residential, Single-Family Residential		
	South	Hobby Airport		
	East	Multi-Family Residential, Parking Lots/Garages, Hobby Airport		
	West	Parking Lots/Garages, Single-Family Residential, Hobby Airport		
What object was device secured to?	Light Post	(#710118)		
Sidewalk Width	4'			
Buffer Width	4.5' (Varies)			
Street Width	Six-Lane Divided Roadway			
Parallel Parking	No			
Landscaping or Trees	Yes			
Sidewalk Pavement Type	Concrete			
ADA Ramps	Yes			
Sidewalk Condition	Excellent			
Speed Limit	40 miles p	er hour		
Street Lighting	Yes			
Street Traffic Volume	28,100 (78	300 Airport Boulevard: TxDOT – 2012)		
Transit	No			
Shade	No			
Have counts been collected by H-GAC at this location before?	No			
Notes	Counter H2 stopped collecting accurate data after Sunday, August 14, 2016. A spider web and dead insects were found in Counter H2 when it was retrieved; insects likely affected the accuracy of data collected after August 14, 2016.			

Trends

• Usage tends to be higher on weekdays (20 users/day) than during weekends (10 users/day).

- On weekdays, usage is highest in the morning (8:00 a.m. 10:00 a.m.).
- During weekends, usage remains low throughout the day. There are slight increases in usage in the early afternoon (1:00 p.m. 2:00 p.m.) and late afternoon (4:00 p.m. 5:00 p.m.).







Image 3: Airport Boulevard Eastbound West of Broadway Street Facing East




Image 4: Airport Boulevard Eastbound West of Broadway Street Facing West

Daily Usage Airport Boulevard Eastbound West of Broadway Street						
		Select Weather Data*				
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)		
Saturday, August 6, 2016	5	98	77	0		
Sunday, August 7, 2016	10	100	78	0		
Monday, August 8, 2016	17	100	77	0		
Tuesday, August 9, 2016	34	101	77	0		
Wednesday, August 10, 2016	12	100	79	0		
Thursday, August 11, 2016	24	101	82	0		
Friday, August 12, 2016	13	99	82	0		
Saturday, August 13, 2016	10	97	76	0.83		
Sunday, August 14, 2016	15	89	72	1.66		
Total	140	Notes	Notes			
Average Daily Usage	16	Counter H2 stopp	Counter H2 stopped collecting accurate data after Sunday,			
Average Daily Usage (Weekday)	20	-	August 14, 2016. A spider web and dead insects were found in			
Average Daily Usage (Weekend)	10	Counter H2 when it was retrieved; insects likely affected the accuracy of the data collected after August 14, 2016.				



Time of Day	Average Users Per Hour	Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)	
12:00 a.m.	0.3	0.4	0.3	
1:00 a.m.	0.0	0.0	0.0	
2:00 a.m.	0.1	0.0	0.3	
3:00 a.m.	1.3	2.0	0.5	
4:00 a.m.	0.1	0.0	0.3	
5:00 a.m.	0.2	0.0	0.5	
6:00 a.m.	0.4	0.4	0.5	
7:00 a.m.	1.1	1.4	0.8	
8:00 a.m.	1.7	3.0	0.	
9:00 a.m.	1.9	3.0	0.	
10:00 a.m.	0.8	1.0	0.	
11:00 a.m.	0.6	0.6	0.	
12:00 p.m.	0.7	0.8	0.	
1:00 p.m.	1.4	1.6	1.1	
2:00 p.m.	0.8	1.0	0.1	
3:00 p.m.	1.2	1.8	0.	
4:00 p.m.	0.8	0.6	1.	
5:00 p.m.	0.1	0.2	0.	
6:00 p.m.	0.3	0.4	0.	
7:00 p.m.	0.7	0.8	0.	
8:00 p.m.	0.2	0.2	0.1	
9:00 p.m.	0.3	0.2	0.	
10:00 p.m.	0.3	0.4	0.	
11:00 p.m.	0.1	0.2	0.	



Airport Boulevard Westbound East of Broadway Street


Location Information					
Location Name	Airport Boulevard Westbound East of Broadway Street				
Location Description	Sidewalk along Airport Boulevard Westbound East of Broadway Street near Hobby Airport				
Jurisdiction	City of Ho	uston			
Agency Deployed	Houston-O	Galveston Area Council/Texas Transportation Institute			
GPS Coordinates	29°39'28.8	39"N, 95°16'32.75"W			
Surrounding Land Uses	North	Parking Lots/Garage, Multi-Family Residential			
	South	Hobby Airport			
	East	Parking Lots/Garage, Hobby Airport, Multi-Family Residential			
	West	Parking Lots/Garage, Multi-Family Residential, Hobby Airport			
What object was device secured to?	Sign Post (Warning: Underground Cable)				
Sidewalk Width	4'				
Buffer Width	8'				
Street Width	Six-Lane Divided Roadway				
Parallel Parking	No				
Landscaping or Trees	Yes				
Sidewalk Pavement Type	Concrete				
ADA Ramps	Yes				
Sidewalk Condition	Fair (Debr	is/Mud Covering Sidewalk)			
Speed Limit	40 miles p	er hour			
Street Lighting	Yes				
Street Traffic Volume	28,100 (78	300 Airport Boulevard: TxDOT - 2012)			
Transit	No				
Shade	Yes				
Have counts been collected by H-GAC at this location before?	No				

Trends

• Usage tends to be higher on weekdays (27 users/day) than during weekends (19 users/day).

• On weekdays, usage is highest in the late afternoon (4:00 p.m. – 5:00 p.m.).

• During weekends, usage is highest in the evening (5:00 p.m. – 7:00 p.m.).






nage 5: Airport Boulevard Westbound East o Broadway Street Facing East




Image 6: Airport Boulevard Westbound East of Broadway Street Facing West

Daily Usage Airport Boulevard Westbound East of Broadway Street					
		Select Weather Data*			
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)	
Saturday, August 6, 2016	14	98	77	0	
Sunday, August 7, 2016	11	100	78	0	
Monday, August 8, 2016	21	100	77	0	
Tuesday, August 9, 2016	12	101	77	0	
Wednesday, August 10, 2016	11	100	79	0	
Thursday, August 11, 2016	19	101	82	0	
Friday, August 12, 2016	57	99	82	0	
Saturday, August 13, 2016	11	97	76	0.83	
Sunday, August 14, 2016	22	89	72	1.66	
Monday, August 15, 2016	27	86	75	1.43	
Tuesday, August 16, 2016	29	82	74	2.05	
Wednesday, August 17, 2016	24	83	73	1.73	
Thursday, August 18, 2016	29	88	74	0.19	
Friday, August 19, 2016	34	92	75	0.39	
Saturday, August 20, 2016	33	91	75	0.53	
Sunday, August 21, 2016	22	87	76	Т	
Monday, August 22, 2016	35	89	73	0.33	
Total	411				
Average Daily Usage	24				
Average Daily Usage (Weekday)	27				
Average Daily Usage (Weekend)	19				



Time of Day	Average Users Per Hour	Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)	
12:00 a.m.	0.2	0.1	0.5	
1:00 a.m.	0.4	0.4	0.3	
2:00 a.m.	0.5	0.4	0.7	
3:00 a.m.	0.1	0.2	0.0	
4:00 a.m.	0.1	0.1	0.2	
5:00 a.m.	0.3	0.4	0.2	
6:00 a.m.	1.1	1.1	1.2	
7:00 a.m.	1.4	1.9	0.5	
8:00 a.m.	1.2	1.4	1.0	
9:00 a.m.	1.2	1.4	0.8	
10:00 a.m.	1.1	1.4	0.7	
11:00 a.m.	0.9	0.8	1.0	
12:00 p.m.	0.8	0.9	0.7	
1:00 p.m.	1.5	1.8	1.0	
2:00 p.m.	2.1	2.3	1.7	
3:00 p.m.	0.8	0.6	1.0	
4:00 p.m.	2.3	3.1	0.8	
5:00 p.m.	1.9	2.0	1.8	
6:00 p.m.	1.6	1.8	1.3	
7:00 p.m.	1.0	1.2	0.7	
8:00 p.m.	1.2	1.4	1.0	
9:00 p.m.	1.0	1.1	0.8	
10:00 p.m.	0.9	1.1	0.	
11:00 p.m.	0.4	0.5	0.3	



Airport Boulevard Eastbound East of Broadway Street

Location Information				
Location Name	Airport Boulevard Eastbound East of Broadway Street			
Location Description	Sidewalk along Airport Boulevard Eastbound East of Broadway Street near Hobby Airport			
Jurisdiction	City of Ho	uston		
Agency Deployed	Houston-O	Galveston Area Council/Texas Transportation Institute		
GPS Coordinates	29°39'27.7	76"N, 95°16'32.50"W		
Surrounding Land Uses	North	Parking Lots/Garage, Multi-Family Residential		
	South	Hobby Airport		
	East	Parking Lots/Garage, Hobby Airport, Multi-Family Residential		
	West	Parking Lots/Garage, Multi-Family Residential, Hobby Airport		
What object was device secured to?	Sign Post	(Merge Left)		
Sidewalk Width	4'			
Buffer Width	6'			
Street Width	Six-Lane Divided Roadway			
Parallel Parking	No			
Landscaping or Trees	Yes			
Sidewalk Pavement Type	Concrete			
ADA Ramps	Yes			
Sidewalk Condition	Good			
Speed Limit	40 miles p	er hour		
Street Lighting	Yes			
Street Traffic Volume	28,100 (78	300 Airport Boulevard: TxDOT - 2012)		
Transit	No			
Shade	No			
Have counts been collected by H-GAC at this location before?	No			
Notes	Counter H4 stopped collecting accurate data after Wednesday, August 17, 2016. Counter H4 did not collect accurate data on Thursday, August 18, 2016 or Friday, August 19, 2016. It stopped collecting data at 6:00 a.m. on Friday, August 19, 2016.			

Trends

• Daily usage tends to be similar throughout the week (Weekdays: 22 users/day; Weekends: 21 users/day).

- On weekdays, usage is highest in the late afternoon (3:00 p.m. 4:00 p.m.).
- During weekends, usage is highest in the morning (9:00 a.m. 10:00 a.m.).






Image 7: Airport Boulevard Eastbound East of Broadway Street Facing East




Image 8: Airport Boulevard Eastbound East of Broadway Street Facing West


		Select Weather Data*		
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)
Saturday, August 6, 2016	26	98	77	0
Sunday, August 7, 2016	22	100	78	0
Monday, August 8, 2016	20	100	77	0
Tuesday, August 9, 2016	21	101	77	0
Wednesday, August 10, 2016	27	100	79	0
Thursday, August 11, 2016	19	101	82	0
Friday, August 12, 2016	23	99	82	0
Saturday, August 13, 2016	13	97	76	0.83
Sunday, August 14, 2016	23	89	72	1.66
Monday, August 15, 2016	28	86	75	1.43
Tuesday, August 16, 2016	19	82	74	2.05
Wednesday, August 17, 2016	17	83	73	1.73
Total	258	Notes		
		Counter H4 stopped collecting accurate data after		

Total	258	
Average Daily Usage	22	
Average Daily Usage (Weekday)	22	
Average Daily Usage (Weekend)	21	

Counter H4 stopped collecting accurate data after Wednesday, August 17, 2016. Counter H4 did not collect accurate data on Thursday, August 18, 2016 or Friday, August 19, 2016. It stopped collecting data at 6:00 a.m. on Friday, August 19, 2016.



Time of Day	Average Users Per Hour	Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)
12:00 a.m.	0.3	0.4	0.3
1:00 a.m.	0.3	0.4	0.0
2:00 a.m.	0.1	0.0	0.3
3:00 a.m.	0.5	0.6	0.3
4:00 a.m.	0.9	0.6	1.5
5:00 a.m.	0.8	1.0	0.3
6:00 a.m.	0.4	0.3	0.8
7:00 a.m.	0.8	0.8	1.0
8:00 a.m.	1.3	1.0	1.8
9:00 a.m.	1.5	1.1	2.3
10:00 a.m.	0.8	0.8	1.0
11:00 a.m.	1.2	1.4	0.8
12:00 p.m.	0.8	1.0	0.5
1:00 p.m.	0.8	0.8	0.8
2:00 p.m.	0.9	1.1	0.5
3:00 p.m.	2.2	2.8	1.0
4:00 p.m.	0.8	0.9	0.8
5:00 p.m.	1.5	1.8	1.0
6:00 p.m.	1.0	0.9	1.3
7:00 p.m.	0.8	0.9	0.8
8:00 p.m.	1.0	1.3	0.!
9:00 p.m.	0.9	0.5	1.
10:00 p.m.	1.0	0.9	1.
11:00 p.m.	0.9	0.9	1.0




Sims Bayou Trail at Broadway Street

Location Information			
Location Name	Sims Bayou Trail at Broadway Street		
Location Description	Shared-Use Path along Sims Bayou East of Broadway Street		
Jurisdiction	City of Ho	uston	
Agency Deployed	Houston-G	Galveston Area Council/Texas Transportation Institute	
GPS Coordinates	29°40'48.0	07"N, 95°16'34.28"W	
Surrounding Land Uses	North	Institutional (Church), Commercial/Retail, Multi-Family Residential	
	South	Sims Bayou, Single-Family Residential	
	East	Single-Family Residential, Interstate 45	
	West	Single-Family Residential, Multi-Family Residential	
What object was device secured to?	Tree		
Sidewalk Width	10'		
Buffer Width	N/A (Off-Road Shared-Use Path)		
Street Width	N/A (Off-Road Shared-Use Path)		
Parallel Parking	N/A (Off-Road Shared-Use Path)		
Landscaping or Trees	No		
Sidewalk Pavement Type	Asphalt (Changes to Concrete West of Counter H5)		
ADA Ramps	N/A (Off-Road Shared-Use Path)		
Sidewalk Condition	Good		
Speed Limit	N/A (Off-R	Road Shared-Use Path)	
Street Lighting	No		
Street Traffic Volume	N/A (Off-R	Road Shared-Use Path)	
Transit	No		
Shade	No		
Have counts been collected by H-GAC at this location before?	No		
Notes	There is currently no access from Sims Bayou Trail to Broadway Street. Sims Bayou Trail passes under the bridge carrying Broadway Street over Sims Bayou.		

Trends

• Usage tends to be much higher on weekdays (77 users/day) than during weekends (48 users/day).

- On weekdays, usage is highest in the evening (6:00 p.m. 9:00 p.m.).
- During weekends, usage is highest in the evening (6:00 p.m. 8:00 p.m.).



Location Information: Photos




Image 9: Sims Bayou Trail at Broadway Street Facing East




Image 10: Sims Bayou Trail at Broadway Street Facing West

Daily Usage Sims Bayou Trail at Broadway Street				
		Select Weather Data*		
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)
Saturday, August 6, 2016	60	98	77	0
Sunday, August 7, 2016	44	100	78	0
Monday, August 8, 2016	95	100	77	0
Tuesday, August 9, 2016	87	101	77	0
Wednesday, August 10, 2016	75	100	79	0
Thursday, August 11, 2016	46	101	82	0
Friday, August 12, 2016	55	99	82	0
Saturday, August 13, 2016	23	97	76	0.83
Sunday, August 14, 2016	41	89	72	1.66
Monday, August 15, 2016	115	86	75	1.43
Tuesday, August 16, 2016	129	82	74	2.05
Wednesday, August 17, 2016	42	83	73	1.73
Thursday, August 18, 2016	41	88	74	0.19
Friday, August 19, 2016	55	92	75	0.39
Saturday, August 20, 2016	44	91	75	0.53
Sunday, August 21, 2016	77	87	76	т
Monday, August 22, 2016	106	89	73	0.33
Total	1,135	1		
Average Daily Usage	67			
Average Daily Usage (Weekday)	77			
Average Daily Usage (Weekend)	48			



Sims Bayou Trail at B	roadway Street		
Time of Day	Average Users Per Hour	Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)
12:00 a.m.	0.0	0.0	0.0
1:00 a.m.	0.1	0.1	0.0
2:00 a.m.	0.3	0.5	0.0
3:00 a.m.	0.1	0.0	0.2
4:00 a.m.	0.1	0.1	0.2
5:00 a.m.	0.0	0.0	0.0
6:00 a.m.	1.8	2.3	1.0
7:00 a.m.	5.1	4.8	5.7
8:00 a.m.	3.8	3.8	3.7
9:00 a.m.	2.6	2.1	3.5
10:00 a.m.	1.9	1.4	3.0
11:00 a.m.	1.4	0.9	2.3
12:00 p.m.	1.0	1.0	1.0
1:00 p.m.	1.1	0.8	1.5
2:00 p.m.	0.4	0.5	0.2
3:00 p.m.	0.9	0.2	2.3
4:00 p.m.	1.3	1.1	1.7
5:00 p.m.	5.9	7.4	3.2
6:00 p.m.	9.5	10.8	7.0
7:00 p.m.	20.5	27.5	7.8
8:00 p.m.	8.6	11.5	3.3
9:00 p.m.	0.4	0.2	0.7
10:00 p.m.	0.0	0.0	0.0
11:00 p.m.	0.1	0.2	0.0




Sims Bayou Trail at Reveille Park

Location Information				
Location Name	Sims Bayou Trail at Reveille Park			
Location Description	Shared-Use Path along Sims Bayou Trail at Southeast Corner of Reveille Park			
Jurisdiction	City of Ho	uston		
Agency Deployed	Houston-0	Galveston Area Council/Texas Transportation Institute		
GPS Coordinates	29°40'40.2	25"N, 95°17'2.50"W		
Surrounding Land Uses	North	Reveille Park, Single-Family Residential		
	South	Sims Bayou, Multi-Family Residential, Single-Family Residential		
	East	Reveille Park, Single-Family Residential		
	West	Reveille Park, Single-Family Residential		
What object was device secured to?	Tree			
Sidewalk Width	10'			
Buffer Width	N/A (Off-Road Shared-Use Path)			
Street Width	N/A (Off-Road Shared-Use Path)			
Parallel Parking	N/A (Off-Road Shared-Use Path)			
Landscaping or Trees	Yes			
Sidewalk Pavement Type	Asphalt			
ADA Ramps	Yes	Yes		
Sidewalk Condition	Fair (Minor Cracking and Edge Deterioration)			
Speed Limit	N/A (Off-F	Road Shared-Use Path)		
Street Lighting	No			
Street Traffic Volume	N/A (Off-Road Shared-Use Path)			
Transit	No			
Shade	No			
Have counts been collected by H-GAC at this location before?	No			

Trends

• Usage tends to be much higher on weekdays (117 users/day) than during weekends (58 users/day).


- On weekdays, usage is highest in the evening (6:00 p.m. 9:00 p.m.).
- During weekends, usage is highest in the evening (7:00 p.m. 8:00 p.m.).






Daily Usage Sims Bayou Trail at Reveille Park				
			Select Weather Data*	
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)
Saturday, August 6, 2016	58	98	77	0
Sunday, August 7, 2016	47	100	78	0
Monday, August 8, 2016	148	100	77	0
Tuesday, August 9, 2016	135	101	77	0
Wednesday, August 10, 2016	128	100	79	0
Thursday, August 11, 2016	74	101	82	0
Friday, August 12, 2016	102	99	82	0
Saturday, August 13, 2016	48	97	76	0.83
Sunday, August 14, 2016	60	89	72	1.66
Monday, August 15, 2016	177	86	75	1.43
Tuesday, August 16, 2016	162	82	74	2.05
Wednesday, August 17, 2016	35	83	73	1.73
Thursday, August 18, 2016	97	88	74	0.19
Friday, August 19, 2016	65	92	75	0.39
Saturday, August 20, 2016	70	91	75	0.53
Sunday, August 21, 2016	63	87	76	Т
Monday, August 22, 2016	160	89	73	0.33

Total	1,629
Average Daily Usage	96
Average Daily Usage (Weekday)	117
Average Daily Usage (Weekend)	58



Sims Bayou Trail at R			
Time of Day	Average Users Per Hour	Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)
12:00 a.m.	0.1	0.1	0.0
1:00 a.m.	0.0	0.0	0.0
2:00 a.m.	0.1	0.2	0.0
3:00 a.m.	0.1	0.2	0.0
4:00 a.m.	0.0	0.0	0.0
5:00 a.m.	0.4	0.5	0.0
6:00 a.m.	3.0	3.6	1.8
7:00 a.m.	11.9	13.3	9.3
8:00 a.m.	5.6	6.3	4.5
9:00 a.m.	2.5	2.6	2.3
10:00 a.m.	2.2	2.2	2.2
11:00 a.m.	1.8	1.5	2.3
12:00 p.m.	1.1	0.9	1.3
1:00 p.m.	0.8	0.5	1.2
2:00 p.m.	1.1	0.6	2.0
3:00 p.m.	1.4	1.2	1.7
4:00 p.m.	2.5	3.0	1.7
5:00 p.m.	6.1	7.7	3.2
6:00 p.m.	14.3	18.8	6.0
7:00 p.m.	28.6	36.9	13.3
8:00 p.m.	11.9	15.8	4.7
9:00 p.m.	0.3	0.4	0.2
10:00 p.m.	0.0	0.0	0.0
11:00 p.m.	0.2	0.3	0.0



Telephone Road Northbound at Oak Vista Street

Location Information				
Location Name	Telephone Road Northbound at Oak Vista Street			
Location Description	Sidewalk along Telephone Road Northbound between Oak Vista Street and Vista Verde Street			
Jurisdiction	City of He			
Agency Deployed	•	Galveston Area Council/Texas Transportation Institute		
GPS Coordinates		.13"N, 95°17'31.24"W		
Surrounding Land Uses	North	Single-Family Residential, Commercial/Retail		
_	South	Single-Family Residential, Industrial, Commercial/Retail		
	East	Single-Family Residential		
	West	Multi-Family Residential, Commercial/Retail, JP Cornelius Elementary School, Single-Family Residential		
What object was device secured to?	Light Pos	t (#490367)		
Sidewalk Width	4'			
Buffer Width	4'	4'		
Street Width	Six-Lane	Six-Lane Divided Roadway		
Parallel Parking	No	No		
Landscaping or Trees	No	No		
Sidewalk Pavement Type	Concrete			
ADA Ramps	Yes			
Sidewalk Condition	Fair (Ove	rgrown Vegetation)		
Speed Limit	35 miles	per hour		
Street Lighting	Yes			
Street Traffic Volume	26,629 (5906 Telephone Road: City of Houston – 2009)			
Transit	Yes (METRO Bus Stop 30' North at Telephone Road Northbound/Oak Vista Street)			
Shade	No	No		
Have counts been collected by H-GAC at this location before?	No			

Trends

• Usage tends to be slightly higher on weekdays (18 users/day) than during weekends (15 users/day).

• On weekdays, usage stays relatively steady throughout daylight hours.

• During weekends, usage increases slightly in the late afternoon (3:00 p.m. – 5:00 p.m.).







Image 13: Telephone Road Northbound near Oak Vista Street Facing North




Image 14: Telephone Road Northbound near Oak Vista Street Facing South

Daily Usage Telephone Road Northbound at Oak Vista Street				
			Select Weather Data*	
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)
Saturday, August 6, 2016	11	98	77	0
Sunday, August 7, 2016	22	100	78	0
Monday, August 8, 2016	31	100	77	0
Tuesday, August 9, 2016	15	101	77	0
Wednesday, August 10, 2016	18	100	79	0
Thursday, August 11, 2016	28	101	82	0
Friday, August 12, 2016	13	99	82	0
Saturday, August 13, 2016	15	97	76	0.83
Sunday, August 14, 2016	18	89	72	1.66
Monday, August 15, 2016	11	86	75	1.43
Tuesday, August 16, 2016	19	82	74	2.05
Wednesday, August 17, 2016	6	83	73	1.73
Thursday, August 18, 2016	15	88	74	0.19
Friday, August 19, 2016	7	92	75	0.39
Saturday, August 20, 2016	15	91	75	0.53
Sunday, August 21, 2016	7	87	76	Т
Monday, August 22, 2016	30	89	73	0.33

Total	281
Average Daily Usage	17
Average Daily Usage (Weekday)	18
Average Daily Usage (Weekend)	15



Time of Day	Average Users Per Hour	Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)	
12:00 a.m.	0.1	0.1	0.2	
1:00 a.m.	0.4	0.3	0.5	
2:00 a.m.	0.1	0.0	0.3	
3:00 a.m.	0.0	0.0	0.0	
4:00 a.m.	0.2	0.1	0.3	
5:00 a.m.	0.3	0.5	0.0	
6:00 a.m.	0.2	0.1	0.5	
7:00 a.m.	0.7	0.8	0.5	
8:00 a.m.	0.9	1.1	0.5	
9:00 a.m.	1.4	1.5	1.2	
10:00 a.m.	0.8	0.9	0.7	
11:00 a.m.	1.2	1.2	1.3	
12:00 p.m.	1.1	1.2	1.0	
1:00 p.m.	1.2	1.4	0.8	
2:00 p.m.	1.4	1.5	1.2	
3:00 p.m.	1.4	1.2	1.7	
4:00 p.m.	1.3	1.1	1.7	
5:00 p.m.	0.8	1.2	0.2	
6:00 p.m.	0.8	1.1	0.2	
7:00 p.m.	1.1	1.1	1.0	
8:00 p.m.	0.4	0.4	0.5	
9:00 p.m.	0.5	0.6	0.3	
10:00 p.m.	0.2	0.3	0.0	
11:00 p.m.	0.2	0.2	0.2	



Counter T1

Telephone Road Southbound at Oak Vista Street

Location Information			
Location Name	Telephone Road Southbound at Oak Vista Street		
Location Description	Sidewalk along Telephone Road Southbound between Oak Vista Street and Vista Verde Street		
Jurisdiction	City of Houston		
Agency Deployed	Houston-Galveston Area Council/Texas Transportation Institute		
GPS Coordinates	29°40'42.47"N, 95°17'31.33"W		
Surrounding Land Uses	North	Multi-Family Residential, Single-Family Residential, Commercial/Retail	
	South	Industrial, Commercial/Retail, Single-Family Residential	
	East	Single-Family Residential	
	West	Multi-Family Residential, Industrial, JP Cornelius Elementary School	
What object was device secured to?	Sign Post (School Zone: Flashing Sign)		
Sidewalk Width	4'		
Buffer Width	4.5'		
Street Width	Six-Lane Divided Roadway		
Parallel Parking	No		
Landscaping or Trees	No		
Sidewalk Pavement Type	Concrete		
ADA Ramps	Yes		
Sidewalk Condition	Good		
Speed Limit	35 miles per hour		
Street Lighting	Yes		
Street Traffic Volume	26,629 (5906 Telephone Road: City of Houston – 2009)		
Transit	Yes (METRO Bus Stop 180' North at Telephone Road Southbound/Oak Vista Street)		
Shade	No		
Have counts been collected by H-GAC at this location before?	No		

Trends

• Usage tends to be higher on weekdays (94 users/day) than during weekends (75 users/day).

- On weekdays, usage is highest in the late morning (10:00 a.m. 12:00 p.m.).
- During weekends, usage is highest in the early afternoon (1:00 p.m. 2:00 p.m.).







Image 15: Telephone Road Southbound near Oak Vista Street Facing North



Image 16: Telephone Road Southbound near Oak Vista Street Facing South


Daily Usage Telephone Road Southbound at Oak Vista Street							
		Select Weather Data*					
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)			
Saturday, August 6, 2016	93	98	77	0			
Sunday, August 7, 2016	85	100	78	0			
Monday, August 8, 2016	107	100	77	0			
Tuesday, August 9, 2016	69	101	77	0			
Wednesday, August 10, 2016	103	100	79	0			
Thursday, August 11, 2016	109	101	82	0			
Friday, August 12, 2016	93	99	82	0			
Saturday, August 13, 2016	57	97	76	0.83			
Sunday, August 14, 2016	66	89	72	1.66			
Monday, August 15, 2016	90	86	75	1.43			
Tuesday, August 16, 2016	87	82	74	2.05			
Wednesday, August 17, 2016	78	83	73	1.73			
Thursday, August 18, 2016	107	88	74	0.19			
Friday, August 19, 2016	92	92	75	0.39			
Saturday, August 20, 2016	91	91	75	0.53			
Sunday, August 21, 2016	58	87	76	Т			
Monday, August 22, 2016	96	89	73	0.33			

Total	1,481
Average Daily Usage	87
Average Daily Usage (Weekday)	94
Average Daily Usage (Weekend)	75



Houston-Galveston Area Council

Time of Day	Average Users Per Hour	Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)
12:00 a.m.	0.5	0.5	0.3
1:00 a.m.	0.6	0.5	0.8
2:00 a.m.	0.3	0.4	0.2
3:00 a.m.	0.3	0.4	0.2
4:00 a.m.	1.5	1.6	1.2
5:00 a.m.	0.6	0.6	0.7
6:00 a.m.	2.2	2.5	1.5
7:00 a.m.	5.6	5.5	5.7
8:00 a.m.	3.8	4.5	2.5
9:00 a.m.	5.4	6.0	4.2
10:00 a.m.	6.6	7.6	4.
11:00 a.m.	7.1	7.9	5.
12:00 p.m.	5.0	4.5	5.
1:00 p.m.	6.4	6.1	7.0
2:00 p.m.	6.2	6.5	5.
3:00 p.m.	5.8	5.7	5.
4:00 p.m.	5.8	6.5	4.
5:00 p.m.	5.2	5.7	4.
6:00 p.m.	4.8	4.9	4.
7:00 p.m.	4.7	5.5	3.
8:00 p.m.	3.7	4.4	2.
9:00 p.m.	2.6	3.0	1.
10:00 p.m.	1.4	1.7	0.
11:00 p.m.	1.0	0.9	1.




Telephone Road Southbound at Sims Bayou

Location Information			
Location Name	Telephone	e Road Southbound at Sims Bayou	
Location Description	Sidewalk along Telephone Road Southbound North of Sims Bayou Bridge		
Jurisdiction	City of Ho	uston	
Agency Deployed	Houston-O	Galveston Area Council/Texas Transportation Institute	
GPS Coordinates	29°40'28.8	30"N, 95°17'21.97"W	
Surrounding Land Uses	North	Commercial/Retail	
	South	Sims Bayou, Commercial/Retail	
	East	Vacant Land, Sims Bayou	
	West	Commercial/Retail, Vacant Land, Single-Family Residential	
What object was device secured to?	Sign Post (Monroe Park and Ride and I-45 Express Lane)		
Sidewalk Width	4'		
Buffer Width	4'		
Street Width	Six- to Eight-Lane Roadway (Multiple Roads Intersect near Counter T2)		
Parallel Parking	No		
Landscaping or Trees	No		
Sidewalk Pavement Type	Concrete		
ADA Ramps	Yes		
Sidewalk Condition	Good		
Speed Limit	35 miles p	er hour	
Street Lighting	Yes		
Street Traffic Volume	22,090 (63	300 Telephone Road: TxDOT – 2012)	
Transit	Yes (METRO Bus Stop 350' North at Telephone Road Southbound/Glenbrook Square Shopping Center Entrance)		
Shade	No		
Have counts been collected by H-GAC at this location before?	No		

Trends


- Usage tends to be higher on weekdays (52 users/day) than during weekends (40 users/day).
- On weekdays, usage is highest in the morning (8:00 a.m. 9:00 a.m.) and mid-afternoon (2:00 p.m. 3:00 p.m.). On several weekdays (especially Mondays), there were spikes in usage:
 - Monday, August 8, 2016 (8:00 a.m. 9:00 a.m.): 20 users
 - Monday, August 15, 2016 (8:00 a.m. 9:00 a.m.): 19 users
 - Tuesday, August 16, 2016 (2:00 p.m. 3:00 p.m.): 28 users
 - Monday, August 22, 2016 (10:00 a.m. 11:00 a.m.): 27 users
- During weekends, usage is highest midday (11:00 a.m. 12:00 p.m.).






Daily Usage Telephone Road Southbound at Sims Bayou				
		Select Weather Data*		
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)
Saturday, August 6, 2016	63	98	77	0
Sunday, August 7, 2016	42	100	78	0
Monday, August 8, 2016	65	100	77	0
Tuesday, August 9, 2016	43	101	77	0
Wednesday, August 10, 2016	31	100	79	0
Thursday, August 11, 2016	44	101	82	0
Friday, August 12, 2016	49	99	82	0
Saturday, August 13, 2016	35	97	76	0.83
Sunday, August 14, 2016	26	89	72	1.66
Monday, August 15, 2016	48	86	75	1.43
Tuesday, August 16, 2016	64	82	74	2.05
Wednesday, August 17, 2016	31	83	73	1.73
Thursday, August 18, 2016	46	88	74	0.19
Friday, August 19, 2016	75	92	75	0.39
Saturday, August 20, 2016	42	91	75	0.53
Sunday, August 21, 2016	30	87	76	Т
Monday, August 22, 2016	72	89	73	0.33

Total	806
Average Daily Usage	47
Average Daily Usage (Weekday)	52
Average Daily Usage (Weekend)	40



Time of Day	Average Users Per Hour	Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)
12:00 a.m.	0.8	0.8	0.8
1:00 a.m.	0.4	0.4	0.5
2:00 a.m.	0.5	0.5	0.3
3:00 a.m.	0.4	0.5	0.3
4:00 a.m.	0.8	0.9	0.7
5:00 a.m.	0.2	0.3	0.0
6:00 a.m.	0.4	0.5	0.3
7:00 a.m.	1.9	2.3	1.3
8:00 a.m.	3.8	5.4	1.0
9:00 a.m.	2.2	2.9	0.3
10:00 a.m.	2.9	3.3	2.3
11:00 a.m.	2.5	1.5	4.1
12:00 p.m.	2.1	2.0	2.1
1:00 p.m.	2.6	2.5	3.
2:00 p.m.	4.8	5.8	2.3
3:00 p.m.	2.7	3.3	1.
4:00 p.m.	3.4	3.5	3.
5:00 p.m.	3.2	3.7	2.1
6:00 p.m.	2.9	3.5	1.
7:00 p.m.	1.5	1.6	1.
8:00 p.m.	2.3	2.0	2.
9:00 p.m.	2.4	2.3	2.
10:00 p.m.	1.8	1.8	1.
11:00 p.m.	0.8	0.6	1.



Telephone Road Northbound at Sims Bayou


Location Information				
Location Name	Telephone Road Northbound at Sims Bayou			
Location Description	Sidewalk along Telephone Road Northbound North of Sims Bayou Bridge			
Jurisdiction	City of Ho	City of Houston		
Agency Deployed	Houston-0	Galveston Area Council/Texas Transportation Institute		
GPS Coordinates	29°40'29.8	85"N, 95°17'20.69"W		
Surrounding Land Uses	North	Commercial/Retail, Open Space, Sims Bayou		
	South	Sims Bayou, Commercial/Retail		
	East	Vacant Land, Sims Bayou		
	West	Commercial/Retail, Vacant Land, Single-Family Residential		
What object was device secured to?	Utility Pol	e		
Sidewalk Width	4'			
Buffer Width	4'			
Street Width	Six- to Eight-Lane Roadway (Multiple Roads Intersect near Counter T2)			
Parallel Parking	No			
Landscaping or Trees	Yes			
Sidewalk Pavement Type	Concrete			
ADA Ramps	Yes			
Sidewalk Condition	Fair (Some	e Unevenness)		
Speed Limit	35 miles p	er hour		
Street Lighting	Yes			
Street Traffic Volume	22,090 (6300 Telephone Road: TxDOT - 2012)			
Transit	Yes (METRO Bus Stop 250' North along Reveille Street Northbound)			
Shade	Intermitte	ent		
Have counts been collected by H-GAC at this location before?	No			

Trends

• Daily usage tends to be similar throughout the week (Weekdays: 43 users/day; Weekends: 44 users/day).

On weekdays, usage is highest in the early afternoon (1:00 p.m. – 2:00 p.m.) and late afternoon (4:00 p.m. – 5:00 p.m.).

• During weekends, usage is highest in the mid-afternoon (2:00 p.m. – 4:00 p.m.).



Location Information: Photos




Image 19: Telephone Road Northbound at Sims Bayou Facing North




Image 20: Telephone Road Northbound at Sims Bayou Facing South

Daily Usage Telephone Road Northbound at Sims Bayou				
		Select Weather Data*		
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)
Saturday, August 6, 2016	64	98	77	0
Sunday, August 7, 2016	56	100	78	0
Monday, August 8, 2016	60	100	77	0
Tuesday, August 9, 2016	51	101	77	0
Wednesday, August 10, 2016	33	100	79	0
Thursday, August 11, 2016	54	101	82	0
Friday, August 12, 2016	43	99	82	0
Saturday, August 13, 2016	28	97	76	0.83
Sunday, August 14, 2016	29	89	72	1.66
Monday, August 15, 2016	42	86	75	1.43
Tuesday, August 16, 2016	32	82	74	2.05
Wednesday, August 17, 2016	30	83	73	1.73
Thursday, August 18, 2016	35	88	74	0.19
Friday, August 19, 2016	26	92	75	0.39
Saturday, August 20, 2016	49	91	75	0.53
Sunday, August 21, 2016	36	87	76	Т
Monday, August 22, 2016	64	89	73	0.33

Total	732
Average Daily Usage	43
Average Daily Usage (Weekday)	43
Average Daily Usage (Weekend)	44



Time of Day	Average Users Per Hour	Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)
12:00 a.m.	0.8	0.7	0.8
1:00 a.m.	0.6	0.4	1.2
2:00 a.m.	0.6	0.7	0.!
3:00 a.m.	0.4	0.3	0.!
4:00 a.m.	0.2	0.2	0.3
5:00 a.m.	0.3	0.2	0.
6:00 a.m.	0.5	0.6	0.3
7:00 a.m.	0.8	0.7	1.
8:00 a.m.	1.6	1.6	1.
9:00 a.m.	2.4	2.3	2.
10:00 a.m.	2.1	2.6	1.
11:00 a.m.	2.8	3.0	2.
12:00 p.m.	2.9	3.1	2.
1:00 p.m.	3.4	3.7	2.
2:00 p.m.	3.7	3.1	4.
3:00 p.m.	2.9	2.0	4.
4:00 p.m.	3.8	3.9	3.
5:00 p.m.	3.1	3.3	2.
6:00 p.m.	3.1	3.1	3.
7:00 p.m.	2.6	2.5	2.
8:00 p.m.	2.0	2.0	2.
9:00 p.m.	0.8	0.9	0.
10:00 p.m.	0.9	0.8	1.
11:00 p.m.	0.8	0.9	0.




Bellfort Street Westbound at Plainview Street

Location Information				
Location Name	Bellfort Street Westbound at Plainview Street			
Location Description	Sidewalk along Bellfort Street Westbound West of Plainview Street			
Jurisdiction	City of Ho	City of Houston		
Agency Deployed	Houston-0	Galveston Area Council/Texas Transportation Institute		
GPS Coordinates	29°40'11.0	01"N, 95°18'17.86"W		
Surrounding Land Uses	North	Multi-Family Residential, Commercial/Retail, Single-Family Residential		
	South	Commercial/Retail, Single-Family Residential		
	East	Commercial/Retail, Single-Family Residential		
	West Multi-Family Residential, Commercial/Retail, Vacant Land, Single-Family Residential			
What object was device secured to?	Sign Post (Bicycles: Share the Road)			
Sidewalk Width	4'			
Buffer Width	5'			
Street Width	Four-Lane Divided Roadway			
Parallel Parking	No			
Landscaping or Trees	No			
Sidewalk Pavement Type	Concrete			
ADA Ramps	Yes			
Sidewalk Condition	Good			
Speed Limit	35 miles p	ber hour		
Street Lighting	Yes			
Street Traffic Volume	13,762 (7065 Bellfort Street: City of Houston – 2009)			
Transit	Yes (METRO Bus Stop 100' East at Bellfort Street Westbound/Plainview Street)			
Shade	No			
Have counts been collected by H-GAC at this location before?	No			

Trends

• Usage tends to be higher on weekdays (67 users/day) than during weekends (57 users/day).


- On weekdays, usage is highest in the morning (8:00 a.m. 9:00 a.m.) and evening (5:00 p.m. 6:00 p.m.).
- During weekends, usage tends to be highest in the early afternoon (1:00 p.m. 2:00 p.m.).





		Select Weather Data*		
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)
Saturday, August 6, 2016	63	98	77	C
Sunday, August 7, 2016	53	100	78	C
Monday, August 8, 2016	83	100	77	C
Tuesday, August 9, 2016	58	101	77	C
Wednesday, August 10, 2016	72	100	79	C
Thursday, August 11, 2016	50	101	82	C
Friday, August 12, 2016	62	99	82	C
Saturday, August 13, 2016	49	97	76	0.83
Sunday, August 14, 2016	33	89	72	1.66
Monday, August 15, 2016	62	86	75	1.43
Tuesday, August 16, 2016	46	82	74	2.05
Wednesday, August 17, 2016	54	83	73	1.73
Thursday, August 18, 2016	57	88	74	0.19
Friday, August 19, 2016	104	92	75	0.39
Saturday, August 20, 2016	94	91	75	0.53
Sunday, August 21, 2016	52	87	76	Т
Monday, August 22, 2016	93	89	73	0.33
Total	1,085]		
Average Daily Usage	64			
Average Daily Usage (Weekday)	67			


Average Daily Usage (Weekend) *Weather conditions recorded at KHOU.



57

Houston-Galveston Area Council

Time of Day	Average Users Per Hour	Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)
12:00 a.m.	1.1	0.8	1.5
1:00 a.m.	0.8	0.9	0.5
2:00 a.m.	0.7	0.6	0.8
3:00 a.m.	0.5	0.3	1.0
4:00 a.m.	0.9	1.3	0.3
5:00 a.m.	0.8	1.1	0.3
6:00 a.m.	1.1	1.5	0.3
7:00 a.m.	2.6	3.4	1.2
8:00 a.m.	4.5	5.4	3.0
9:00 a.m.	3.8	4.0	3.3
10:00 a.m.	4.3	4.7	3.5
11:00 a.m.	3.4	3.6	3.0
12:00 p.m.	3.5	3.5	3.1
1:00 p.m.	3.6	2.9	5.0
2:00 p.m.	3.8	4.2	3.0
3:00 p.m.	4.4	4.4	4.:
4:00 p.m.	4.5	4.5	4.
5:00 p.m.	4.5	5.3	3.
6:00 p.m.	2.8	2.9	2.
7:00 p.m.	3.4	3.5	3.2
8:00 p.m.	3.3	3.6	2.
9:00 p.m.	2.2	2.5	1.
10:00 p.m.	1.9	1.7	2.3
11:00 p.m.	1.4	0.8	2.



Bellfort Street Eastbound at Plainview Street


Location Information			
Location Name	Bellfort Street Eastbound at Plainview Street		
Location Description	Sidewalk along Bellfort Street Eastbound West of Plainview Street		
Jurisdiction	City of Ho	uston	
Agency Deployed	Houston-0	Galveston Area Council/Texas Transportation Institute	
GPS Coordinates	29°40'9.49	9"N, 95°18'18.70"W	
Surrounding Land Uses	North	Multi-Family Residential, Single-Family Residential	
	South	Vacant Land, Single-Family Residential	
	East	Commercial/Retail, Single-Family Residential	
	West	Vacant Land, Multi-Family Residential	
What object was device secured to?	Light Post	(#226629)	
Sidewalk Width	4' (Varies)		
Buffer Width	4' (Varies)		
Street Width	Four-Lane Divided Roadway		
Parallel Parking	No		
Landscaping or Trees	No		
Sidewalk Pavement Type	Asphalt and Concrete (Varies along Block)		
ADA Ramps	No		
Sidewalk Condition	•	Clear Pedestrian Facilities; Inconsistent Facilities on Block; Trash, Id Overgrown Vegetation on Pedestrian Facility)	
Speed Limit	35 miles p	per hour	
Street Lighting	Yes		
Street Traffic Volume	13,762 (7065 Bellfort Street: City of Houston – 2009)		
Transit	Yes (METRO Bus Stop 330' West at Bellfort Street Eastbound/Bullfinch Street)		
Shade	No		
Have counts been collected by H-GAC at this location before?	No		

Trends

• Usage tends to be slightly higher during weekends (40 users/day) than on weekdays (37 users/day).


• On weekdays, usage is highest in the evening (6:00 p.m. – 7:00 p.m.).

• During weekends, usage is highest in the mid-afternoon (2:00 p.m. – 3:00 p.m.).






Daily Usage Bellfort Street Eastbound at Plainview Street				
		Select Weather Data*		
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)
Saturday, August 6, 2016	41	98	77	0
Sunday, August 7, 2016	35	100	78	0
Monday, August 8, 2016	39	100	77	0
Tuesday, August 9, 2016	27	101	77	0
Wednesday, August 10, 2016	41	100	79	0
Thursday, August 11, 2016	34	101	82	0
Friday, August 12, 2016	32	99	82	0
Saturday, August 13, 2016	33	97	76	0.83
Sunday, August 14, 2016	36	89	72	1.66
Monday, August 15, 2016	38	86	75	1.43
Tuesday, August 16, 2016	35	82	74	2.05
Wednesday, August 17, 2016	23	83	73	1.73
Thursday, August 18, 2016	54	88	74	0.19
Friday, August 19, 2016	39	92	75	0.39
Saturday, August 20, 2016	59	91	75	0.53
Sunday, August 21, 2016	36	87	76	Т
Monday, August 22, 2016	42	89	73	0.33
Total	644			
Average Daily Usage	38			
Average Daily Usage (Weekday)	37			
Average Daily Usage (Weekend)	40			



Hourly Usage Bellfort Street Eastbo	ound at Plainview Street		
Time of Day	Average Users Per Hour	Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)
12:00 a.m.	0.5	0.5	0.5
1:00 a.m.	0.4	0.5	0.2
2:00 a.m.	0.2	0.2	0.2
3:00 a.m.	0.2	0.4	0.0
4:00 a.m.	0.4	0.4	0.3
5:00 a.m.	0.5	0.7	0.0
6:00 a.m.	0.6	0.7	0.3
7:00 a.m.	1.3	1.4	1.2
8:00 a.m.	1.8	1.8	1.7
9:00 a.m.	1.7	1.8	1.5
10:00 a.m.	2.6	2.5	2.8
11:00 a.m.	2.2	2.3	2.0
12:00 p.m.	2.0	1.6	2.7
1:00 p.m.	2.0	1.5	3.0
2:00 p.m.	2.5	1.7	3.8
3:00 p.m.	2.0	1.6	2.7
4:00 p.m.	3.1	3.0	3.2
5:00 p.m.	2.6	2.4	3.2
6:00 p.m.	3.2	4.0	1.7
7:00 p.m.	2.4	2.0	3.0
8:00 p.m.	1.9	2.0	1.8
9:00 p.m.	1.8	1.7	2.0
10:00 p.m.	1.4	1.7	0.7
11:00 p.m.	0.9	0.5	1.7



Bellfort Street Westbound at Sims Bayou


Location Information				
Location Name	Bellfort Street Westbound at Sims Bayou			
Location Description	Sidewalk a	Sidewalk along Bellfort Street Westbound West of Sims Bayou		
Jurisdiction	City of Ho	uston		
Agency Deployed	Houston-0	Galveston Area Council/Texas Transportation Institute		
GPS Coordinates	29°40'25.9	96"N, 95°17'30.44"W		
Surrounding Land Uses	North	Vacant Land, Commercial/Retail, Single-Family Residential		
	South	Vacant Land, Sims Bayou		
	East	Vacant Land, Commercial/Retail, Sims Bayou		
	West	Vacant Land		
What object was device secured to?	Light Post	(#247482)		
Sidewalk Width	4'			
Buffer Width	5'			
Street Width	Four-Lane Divided Roadway			
Parallel Parking	No			
Landscaping or Trees	No			
Sidewalk Pavement Type	Concrete			
ADA Ramps	Yes			
Sidewalk Condition	Poor (Une	evenness and Overgrown Vegetation)		
Speed Limit	35 miles p	per hour		
Street Lighting	Yes			
Street Traffic Volume	13,762 (7065 Bellfort Street: City of Houston – 2009)			
Transit	Yes (METRO Bus Stop 200' East at Bellfort Street Westbound/Sims Bayou)			
Shade	No			
Have counts been collected by H-GAC at this location before?	No			

Trends

• Usage tends to be higher on weekdays (18 users/day) than during weekends (14 users/day).

• On weekdays, usage remains low throughout the day. It is highest in the morning (7:00 a.m. – 8:00 a.m.).

• During weekends, usage remains low throughout the day. It is highest in the mid-afternoon (2:00 p.m. – 3:00 p.m.) and evening (5:00 p.m. – 6:00 p.m.).



Location Information: Photos




Image 25: Bellfort Street Westbound at Sims Bayou Facing East




Image 26: Bellfort Street Westbound at Sims Bayou Facing West

Daily Usage Bellfort Street Westbound at Sims Bayou				
		Select Weather Data*		
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)
Saturday, August 6, 2016	20	98	77	0
Sunday, August 7, 2016	5	100	78	0
Monday, August 8, 2016	33	100	77	0
Tuesday, August 9, 2016	27	101	77	0
Wednesday, August 10, 2016	20	100	79	0
Thursday, August 11, 2016	20	101	82	0
Friday, August 12, 2016	26	99	82	0
Saturday, August 13, 2016	29	97	76	0.83
Sunday, August 14, 2016	12	89	72	1.66
Monday, August 15, 2016	15	86	75	1.43
Tuesday, August 16, 2016	17	82	74	2.05
Wednesday, August 17, 2016	7	83	73	1.73
Thursday, August 18, 2016	10	88	74	0.19
Friday, August 19, 2016	6	92	75	0.39
Saturday, August 20, 2016	7	91	75	0.53
Sunday, August 21, 2016	11	87	76	Т
Monday, August 22, 2016	18	89	73	0.33
Total	283]		
Average Daily Usage	17			
Average Daily Usage (Weekday)	18]		
Average Daily Usage (Weekend)	14			



Hourly Usage Bellfort Street Westk	oound at Sims Bayou		
Time of Day	Average Users Per Hour	Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)
12:00 a.m.	0.5	0.5	0.7
1:00 a.m.	0.4	0.2	0.8
2:00 a.m.	0.2	0.4	0.0
3:00 a.m.	0.1	0.2	0.0
4:00 a.m.	0.2	0.3	0.2
5:00 a.m.	0.3	0.5	0.0
6:00 a.m.	0.2	0.2	0.3
7:00 a.m.	1.4	1.7	0.8
8:00 a.m.	0.6	0.6	0.5
9:00 a.m.	0.9	1.0	0.7
10:00 a.m.	0.8	1.2	0.2
11:00 a.m.	1.1	1.2	1.0
12:00 p.m.	1.0	1.1	0.8
1:00 p.m.	1.1	1.4	0.7
2:00 p.m.	1.4	1.5	1.2
3:00 p.m.	0.6	0.5	1.0
4:00 p.m.	1.1	1.2	0.8
5:00 p.m.	0.8	0.6	1.2
6:00 p.m.	1.1	1.2	0.8
7:00 p.m.	0.8	0.9	0.7
8:00 p.m.	0.4	0.5	0.0
9:00 p.m.	0.8	0.6	1.0
10:00 p.m.	0.3	0.3	0.3
11:00 p.m.	0.4	0.5	0.3





Bellfort Street Eastbound at Sims Bayou

Location Information			
Location Name	Bellfort Street Eastbound at Sims Bayou		
Location Description	Informal Dirt Path along Bellfort Street Eastbound West of Sims Bayou		
Jurisdiction	City of Ho	uston	
Agency Deployed	Houston-O	Galveston Area Council/Texas Transportation Institute	
GPS Coordinates	29°40'25.0	05"N, 95°17'29.47"W	
Surrounding Land Uses	North	Vacant Land, Commercial/Retail, Single-Family Residential	
	South	Vacant Land, Sims Bayou	
	East	Vacant Land, Commercial, Retail, Sims Bayou	
	West	Vacant Land	
What object was device secured to?	Sign Post	(No Parking)	
Sidewalk Width	N/A (No P	edestrian Facilities Present)	
Buffer Width	N/A (No P	edestrian Facilities Present)	
Street Width	Four-Lane Divided Roadway		
Parallel Parking	No		
Landscaping or Trees	No		
Sidewalk Pavement Type	Dirt Path (No Pedestrian Facilities Present)		
ADA Ramps	N/A (No Pedestrian Facilities Present)		
Sidewalk Condition	N/A (No Pedestrian Facilities Present)		
Speed Limit	35 miles p	er hour	
Street Lighting	Yes		
Street Traffic Volume	13,762 (70	065 Bellfort Street: City of Houston – 2009)	
Transit	Yes (METRO Bu	s Stop 200' East at Bellfort Street Westbound/Sims Bayou)	
Shade	No		
Have counts been collected by H-GAC at this location before?	No		
Notes	There are no pedestrian facilities present at Counter T8, only an informal dirt path. A sidewalk is located along the opposite side of Bellfort Street (see Counter T7).		

Trends

• Since there is no pedestrian infrastructure and limited development at this location, usage is low (2 users/day).





Location Information: Photos




Image 27: Bellfort Street Eastbound at Sims Bayou Facing East




Image 28: Bellfort Street Eastbound at Sims Bayou Facing West

Daily Usage Bellfort Street Eastbound at Sims Bayou				
			Select Weather Data*	
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)
Saturday, August 6, 2016	2	98	77	0
Sunday, August 7, 2016	2	100	78	0
Monday, August 8, 2016	2	100	77	0
Tuesday, August 9, 2016	4	101	77	0
Wednesday, August 10, 2016	1	100	79	0
Thursday, August 11, 2016	3	101	82	0
Friday, August 12, 2016	3	99	82	0
Saturday, August 13, 2016	1	97	76	0.83
Sunday, August 14, 2016	1	89	72	1.66
Monday, August 15, 2016	2	86	75	1.43
Tuesday, August 16, 2016	2	82	74	2.05
Wednesday, August 17, 2016	2	83	73	1.73
Thursday, August 18, 2016	3	88	74	0.19
Friday, August 19, 2016	1	92	75	0.39
Saturday, August 20, 2016	1	91	75	0.53
Sunday, August 21, 2016	2	87	76	Т
Monday, August 22, 2016	4	89	73	0.33
Total	36	Notes		
Average Daily Usage	2	There are no pedestrian facilities present at Counter T8,		
Average Daily Usage (Weekday)	2	only an informal dirt path. A sidewalk is located along the		
Average Daily Usage (Weekend)	2	opposite side of Bellfort Street (see Counter T7).		



Hourly Usage Bellfort Street Eastbo	ound at Sims Bayou		
Time of Day	Average Users Per Hour	Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)
12:00 a.m.	0.0	0.0	0.0
1:00 a.m.	0.0	0.0	0.0
2:00 a.m.	0.0	0.0	0.0
3:00 a.m.	0.0	0.0	0.0
4:00 a.m.	0.1	0.0	0.2
5:00 a.m.	0.0	0.0	0.0
6:00 a.m.	0.1	0.1	0.0
7:00 a.m.	0.0	0.0	0.0
8:00 a.m.	0.0	0.0	0.0
9:00 a.m.	0.2	0.2	0.2
10:00 a.m.	0.2	0.2	0.2
11:00 a.m.	0.1	0.1	0.0
12:00 p.m.	0.0	0.0	0.0
1:00 p.m.	0.1	0.1	0.0
2:00 p.m.	0.2	0.3	0.2
3:00 p.m.	0.1	0.2	0.0
4:00 p.m.	0.2	0.4	0.0
5:00 p.m.	0.3	0.4	0.2
6:00 p.m.	0.1	0.1	0.2
7:00 p.m.	0.1	0.1	0.0
8:00 p.m.	0.2	0.3	0.0
9:00 p.m.	0.1	0.2	0.0
10:00 p.m.	0.1	0.0	0.3
11:00 p.m.	0.1	0.0	0.2



Bellfort Street Westbound at Leonard Street


Location Information				
Location Name	Bellfort St	Bellfort Street Westbound at Leonard Street		
Location Description	Sidewalk along Bellfort Street Westbound East of Leonard Street			
Jurisdiction	City of Houston			
Agency Deployed	Houston-0	Galveston Area Council/Texas Transportation Institute		
GPS Coordinates	29°40'20.	85"N, 95°17'6.28"W		
Surrounding Land Uses	North Vacant/Abandoned Buildings, Medical Facilities, Multi-Family Residential, Single-Family Residential			
	South	Multi-Family Residential, Commercial/Retail, Single-Family Residential		
	East	Medical Facilities, Bellfort Elementary School, Commercial/Retail, Vacant Land		
	West	Vacant/Abandoned Buildings, Multi-Family Residential, Commercial/Retail		
What object was device secured to?	Sign Post	(Speed Limit/End School Zone)		
Sidewalk Width	4'			
Buffer Width	5'	5'		
Street Width	Four-Lane Divided Roadway			
Parallel Parking	No			
Landscaping or Trees	Yes			
Sidewalk Pavement Type	Concrete			
ADA Ramps	Yes			
Sidewalk Condition	Poor (Unevenness, Debris and Overgrown Vegetation on Sidewalk)			
Speed Limit	35 miles p	ber hour		
Street Lighting	Yes			
Street Traffic Volume	21,747 (7	652 Bellfort Street: City of Houston – 2009)		
Transit	Yes (METRO Bus Stop 150' East at 7633 Bellfort Street)			
Shade	Intermittent			
Have counts been collected by H-GAC at this location before?	No			
Notes	The sidewalk is in poor condition west of Counter T9, especially in front of the abandoned office building at 7603 Bellfort Street. Pedestrians seem to be leaving the sidewalk and using an informal dirt path farther from Bellfort Street.			

Trends

• Usage tends to be higher on weekdays (39 users/day) than during weekends (28 users/day).

• On weekdays, usage is highest in the early afternoon (1:00 p.m. – 2:00 p.m.).

• During weekends, usage is highest midday (11:00 a.m. – 12:00 p.m.) and in the mid-afternoon (2:00 p.m. – 3:00 p.m.).



Location Information: Photos




Image 29: Bellfort Street Westbound near Leonard Street Facing East




Image 30: Bellfort Street Westbound near Leonard Street Facing West

Daily Usage Bellfort Street Westbound at Leonard Street				
		Select Weather Data*		
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)
Saturday, August 6, 2016	27	98	77	0
Sunday, August 7, 2016	29	100	78	0
Monday, August 8, 2016	58	100	77	0
Tuesday, August 9, 2016	40	101	77	0
Wednesday, August 10, 2016	46	100	79	0
Thursday, August 11, 2016	43	101	82	0
Friday, August 12, 2016	43	99	82	0
Saturday, August 13, 2016	33	97	76	0.83
Sunday, August 14, 2016	24	89	72	1.66
Monday, August 15, 2016	30	86	75	1.43
Tuesday, August 16, 2016	24	82	74	2.05
Wednesday, August 17, 2016	30	83	73	1.73
Thursday, August 18, 2016	32	88	74	0.19
Friday, August 19, 2016	20	92	75	0.39
Saturday, August 20, 2016	30	91	75	0.53
Sunday, August 21, 2016	25	87	76	Т
Monday, August 22, 2016	59	89	73	0.33
Total	593			
Average Daily Usage	35			
Average Daily Usage (Weekday)	39			
Average Daily Usage (Weekend)	28			



	oound at Leonard Street	Average Users Per Hour	Average Users Per Hour
Time of Day	Average Users Per Hour	(Weekdays)	(Weekends)
12:00 a.m.	0.2	0.2	0.3
1:00 a.m.	0.4	0.2	0.8
2:00 a.m.	0.2	0.0	0.5
3:00 a.m.	0.2	0.1	0.3
4:00 a.m.	0.3	0.0	0.8
5:00 a.m.	0.4	0.4	0.5
6:00 a.m.	1.8	2.4	0.8
7:00 a.m.	1.7	1.9	1.3
8:00 a.m.	1.8	2.2	1.2
9:00 a.m.	1.8	1.9	1.5
10:00 a.m.	1.5	1.5	1.5
11:00 a.m.	3.2	3.3	3.2
12:00 p.m.	2.8	3.7	1.0
1:00 p.m.	3.4	4.4	1.5
2:00 p.m.	2.8	2.5	3.2
3:00 p.m.	2.3	2.7	1.5
4:00 p.m.	3.1	3.7	1.8
5:00 p.m.	1.6	1.9	1.0
6:00 p.m.	1.9	2.5	0.8
7:00 p.m.	1.0	0.8	1.3
8:00 p.m.	0.8	0.7	0.8
9:00 p.m.	0.9	0.8	1.0
10:00 p.m.	0.6	0.5	0.8
11:00 p.m.	0.4	0.4	0.3



Houston-Galveston Area Council

Bellfort Street Eastbound at Leonard Street


Location Information			
Location Name	Bellfort Street Eastbound at Leonard Street		
Location Description	Sidewalk along Bellfort Street Eastbound East of Leonard Street		
Jurisdiction	City of Houston		
Agency Deployed	Houston-Galveston Area Council/Texas Transportation Institute		
GPS Coordinates	29°40'20.22"N, 95°17'9.82"W		
Surrounding Land Uses	North	Vacant/Abandoned Buildings, Medical Facilities, Multi-Family Residential, Single-Family Residential	
	South	Commercial/Retail, Single-Family Residential	
	East	Multi-Family Residential, Medical Facilities, Bellfort Elementary School, Commercial/Retail, Vacant Land	
	West	Commercial/Retail	
What object was device secured to?	Sign Post (Bicycles: Share the Road)		
Sidewalk Width	4'		
Buffer Width	4'		
Street Width	Four-Lane Divided Roadway		
Parallel Parking	No		
Landscaping or Trees	No		
Sidewalk Pavement Type	Concrete		
ADA Ramps	Yes		
Sidewalk Condition	Fair (Unevenness, Debris and Overgrown Vegetation on Sidewalk)		
Speed Limit	35 miles per hour		
Street Lighting	Yes		
Street Traffic Volume	21,747 (7652 Bellfort Street: City of Houston – 2009)		
Transit	Yes (METRO Bus Stop 450' East at 7633 Bellfort Street)		
Shade	No		
Have counts been collected by H-GAC at this location before?	No		

Trends

• Usage tends to be higher during weekends (76 users/day) than on weekdays (70 users/day).

• On weekdays, usage is highest midday (12:00 p.m. – 1:00 p.m.).

• During weekends, usage is highest midday (11:00 a.m. – 12:00 p.m.) and in the evening (6:00 p.m. – 7:00 p.m.).



Location Information: Photos




Image 31: Bellfort Street Eastbound near Leonard Street Facing East




Image 32: Bellfort Street Eastbound near Leonard Street Facing West

Daily Usage Bellfort Street Eastbound at Leonard Street				
		Select Weather Data*		
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)
Saturday, August 6, 2016	68	98	77	0
Sunday, August 7, 2016	126	100	78	0
Monday, August 8, 2016	81	100	77	0
Tuesday, August 9, 2016	90	101	77	0
Wednesday, August 10, 2016	91	100	79	0
Thursday, August 11, 2016	117	101	82	0
Friday, August 12, 2016	82	99	82	0
Saturday, August 13, 2016	60	97	76	0.83
Sunday, August 14, 2016	59	89	72	1.66
Monday, August 15, 2016	49	86	75	1.43
Tuesday, August 16, 2016	48	82	74	2.05
Wednesday, August 17, 2016	29	83	73	1.73
Thursday, August 18, 2016	64	88	74	0.19
Friday, August 19, 2016	51	92	75	0.39
Saturday, August 20, 2016	90	91	75	0.53
Sunday, August 21, 2016	55	87	76	Т
Monday, August 22, 2016	70	89	73	0.33
Total	1,230			
Average Daily Usage	72			
Average Daily Usage (Weekday)	70			
Average Daily Usage (Weekend)	76			



Houston-Galveston Area Council

Time of Day	Average Users Per Hour	Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)	
12:00 a.m.	1.0	1.3	0.5	
1:00 a.m.	1.7	1.5	2.2	
2:00 a.m.	0.6	0.4	1.0	
3:00 a.m.	0.9	0.7	1.2	
4:00 a.m.	0.4	0.5	0.0	
5:00 a.m.	0.6	0.6	0.7	
6:00 a.m.	1.6	1.6	1.5	
7:00 a.m.	2.8	2.7	3.0	
8:00 a.m.	2.1	2.7	0.8	
9:00 a.m.	3.1	2.9	3.5	
10:00 a.m.	3.6	3.6	3.5	
11:00 a.m.	4.3	3.2	6.3	
12:00 p.m.	5.9	6.5	5.0	
1:00 p.m.	4.5	4.3	5.0	
2:00 p.m.	4.2	3.9	4.7	
3:00 p.m.	4.2	3.9	4.7	
4:00 p.m.	4.9	4.5	5.5	
5:00 p.m.	5.1	4.9	5.3	
6:00 p.m.	5.2	4.5	6.7	
7:00 p.m.	4.4	4.5	4.(
8:00 p.m.	4.6	4.8	4.2	
9:00 p.m.	4.3	4.9	3.2	
10:00 p.m.	1.4	1.0	2.2	
11:00 p.m.	1.1	0.6	1.8	



Bellfort Street Westbound West of Broadway Street


Location Information			
Location Name	Bellfort Street Westbound West of Broadway Street		
Location Description	Sidewalk along Bellfort Street Westbound West of Broadway Street		
Jurisdiction	City of Houston		
Agency Deployed	Houston-Galveston Area Council/Texas Transportation Institute		
GPS Coordinates	29°40'20.92"N, 95°16'42.64"W		
Surrounding Land Uses	North	Commercial/Retail, Single-Family Residential, Multi-Family Residential	
	South	Commercial/Retail, Single-Family Residential, Multi-Family Residential	
	East	Commercial/Retail, Single-Family Residential	
	West	Single-Family Residential, Commercial/Retail, Multi-Family Residential	
What object was device secured to?	Sign Post (Speed Limit/Keep Houston Safe)		
Sidewalk Width	4'		
Buffer Width	13.5'		
Street Width	Four-Lane Divided Roadway		
Parallel Parking	No		
Landscaping or Trees	No		
Sidewalk Pavement Type	Concrete		
ADA Ramps	Yes		
Sidewalk Condition	Poor (Unevenness, Overgrown Vegetation, and Missing Segments)		
Speed Limit	35 miles per hour		
Street Lighting	Yes		
Street Traffic Volume	21,910 (7800 Bellfort Street: TxDOT – 2012)		
Transit	Yes (METRO Bus Stop 400' East at Bellfort Street Westbound/Broadway Street)		
Shade	No		
Have counts been collected by H-GAC at this location before?	No		

Trends

• Usage tends to be higher during weekends (63 users/day) than on weekdays (57 users/day).

• On weekdays, usage is highest in the morning (7:00 a.m. – 8:00 a.m.) and late afternoon/evening (3:00 p.m. – 7:00 p.m.).

• During weekends, usage is highest in the morning (8:00 a.m. – 9:00 a.m.). This may be skewed by particularly high usage on Saturday, August 13, 2016 between 8:00 a.m. and 9:00 a.m., when 44 people passed the counter.



Location Information: Photos




Image 33: Bellfort Street Westbound West of Broadway Street Facing East




Image 34: Bellfort Street Westbound West of Broadway Street Facing West

Daily Usage Bellfort Street Westbound West of Broadway Street				
		Select Weather Data*		
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)
Saturday, August 6, 2016	54	98	77	0
Sunday, August 7, 2016	55	100	78	0
Monday, August 8, 2016	60	100	77	0
Tuesday, August 9, 2016	42	101	77	0
Wednesday, August 10, 2016	54	100	79	0
Thursday, August 11, 2016	56	101	82	0
Friday, August 12, 2016	44	99	82	0
Saturday, August 13, 2016	90	97	76	0.83
Sunday, August 14, 2016	56	89	72	1.66
Monday, August 15, 2016	49	86	75	1.43
Tuesday, August 16, 2016	56	82	74	2.05
Wednesday, August 17, 2016	48	83	73	1.73
Thursday, August 18, 2016	78	88	74	0.19
Friday, August 19, 2016	67	92	75	0.39
Saturday, August 20, 2016	44	91	75	0.53
Sunday, August 21, 2016	79	87	76	Т
Monday, August 22, 2016	70	89	73	0.33
Total	1,002			
Average Daily Usage	59			
Average Daily Usage (Weekday)	57			
Average Daily Usage (Weekend)	63			



Time of Day	Average Users Per Hour	Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)
12:00 a.m.	0.7	0.8	0.5
1:00 a.m.	0.4	0.2	0.7
2:00 a.m.	0.4	0.5	0.3
3:00 a.m.	0.4	0.1	1.0
4:00 a.m.	0.6	0.7	0.5
5:00 a.m.	0.4	0.3	0.5
6:00 a.m.	2.3	2.6	1.7
7:00 a.m.	4.4	4.6	4.0
8:00 a.m.	5.5	3.5	9.2
9:00 a.m.	4.2	3.7	5.0
10:00 a.m.	3.2	2.4	4.7
11:00 a.m.	2.1	0.8	4.3
12:00 p.m.	3.2	3.0	3.5
1:00 p.m.	2.9	3.4	2.2
2:00 p.m.	3.9	3.9	3.8
3:00 p.m.	4.6	5.1	3.7
4:00 p.m.	4.6	5.1	3.7
5:00 p.m.	3.7	4.1	3.0
6:00 p.m.	4.3	5.1	2.8
7:00 p.m.	3.3	3.5	2.8
8:00 p.m.	1.4	1.1	1.8
9:00 p.m.	1.1	1.5	0.
10:00 p.m.	0.6	0.4	1.7
11:00 p.m.	0.8	0.4	1.



Counter T12

Bellfort Street Eastbound West of Broadway Street

Location Information			
Location Name	Bellfort Street Eastbound West of Broadway Street		
Location Description	Sidewalk along Bellfort Street Eastbound West of Broadway Street		
Jurisdiction	City of Ho	puston	
Agency Deployed	Houston-	Galveston Area Council/Texas Transportation Institute	
GPS Coordinates	29°40'20.	11"N, 95°16'42.92"W	
Surrounding Land Uses	North	Commercial/Retail, Single-Family Residential, Multi-Family Residential	
	South	Commercial/Retail, Single-Family Residential, Multi-Family Residential	
	East	Commercial/Retail, Single-Family Residential	
	West	Single-Family Residential, Commercial/Retail, Multi-Family Residential	
What object was device secured to?	Light Post (#200294)		
Sidewalk Width	4'		
Buffer Width	14'		
Street Width	Four-Lane Divided Roadway		
Parallel Parking	No		
Landscaping or Trees	No		
Sidewalk Pavement Type	Concrete		
ADA Ramps	Yes		
Sidewalk Condition	Poor (Une	evenness, Overgrown Vegetation, and Missing Segments)	
Speed Limit	35 miles p	per hour	
Street Lighting	Yes		
Street Traffic Volume	21,910 (7800 Bellfort Street: TxDOT – 2012)		
Transit	Yes (METRO Bus Stop 300' East at Bellfort Street Eastbound/Broadway Street)		
Shade	No		
Have counts been collected by H-GAC at this location before?	No		


Trends

• Usage tends to be higher during weekends (194 users/day) than on weekdays (174 users/day).

• On weekdays, usage generally increases as the day progresses. It is highest in the evening (5:00 p.m. – 6:00 p.m.).

• During weekends, usage remains relatively steady throughout the day. It is highest midday (11:00 a.m. – 12:00 p.m.).

Location Information: Map



Location Information: Photos




Image 35: Bellfort Street Eastbound West of Broadway Street Facing East




Image 36: Bellfort Street Eastbound West of Broadway Street Facing West

Daily Usage Bellfort Street Eastbound West of Broadway Street					
		Select Weather Data*			
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)	
Saturday, August 6, 2016	167	98	77	0	
Sunday, August 7, 2016	213	100	78	0	
Monday, August 8, 2016	176	100	77	0	
Tuesday, August 9, 2016	174	101	77	0	
Wednesday, August 10, 2016	149	100	79	0	
Thursday, August 11, 2016	169	101	82	0	
Friday, August 12, 2016	149	99	82	0	
Saturday, August 13, 2016	183	97	76	0.83	
Sunday, August 14, 2016	210	89	72	1.66	
Monday, August 15, 2016	190	86	75	1.43	
Tuesday, August 16, 2016	157	82	74	2.05	
Wednesday, August 17, 2016	183	83	73	1.73	
Thursday, August 18, 2016	167	88	74	0.19	
Friday, August 19, 2016	193	92	75	0.39	
Saturday, August 20, 2016	178	91	75	0.53	
Sunday, August 21, 2016	214	87	76	Т	
Monday, August 22, 2016	203	89	73	0.33	
Total	3,075				
Average Daily Usage	181				
Average Daily Usage (Weekday)	174				
Average Daily Usage (Weekend)	194				

*Weather conditions recorded at KHOU.



Hourly Usage Bellfort Street Eastbound West of Broadway Street					
Time of Day Average Users Per Hour		Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)		
12:00 a.m.	3.7	3.2	4.7		
1:00 a.m.	5.3	3.9	7.8		
2:00 a.m.	2.5	2.0	3.3		
3:00 a.m.	2.2	1.8	3.0		
4:00 a.m.	2.0	1.6	2.7		
5:00 a.m.	4.2	3.8	5.0		
6:00 a.m.	3.5	3.7	3.2		
7:00 a.m.	8.5	7.0	11.3		
8:00 a.m.	9.4	8.5	11.0		
9:00 a.m.	9.8	9.0	11.3		
10:00 a.m.	8.9	8.2	10.2		
11:00 a.m.	8.5	6.4	12.5		
12:00 p.m.	8.5	7.8	9.7		
1:00 p.m.	8.8	8.7	8.8		
2:00 p.m.	9.9	10.3	9.3		
3:00 p.m.	9.9	10.5	9.0		
4:00 p.m.	10.0	9.2	11.5		
5:00 p.m.	13.7	15.2	11.0		
6:00 p.m.	10.9	10.6	11.3		
7:00 p.m.	12.5	13.6	10.3		
8:00 p.m.	9.5	10.1	8.5		
9:00 p.m.	8.8	8.2	10.0		
10:00 p.m.	5.5	5.9	4.7		
11:00 p.m.	4.2	4.4	4.0		



Counter T13

Bellfort Street Westbound East of Broadway Street


Location Information			
Location Name	Bellfort Street Westbound East of Broadway Street		
Location Description	Sidewalk along Bellfort Street Westbound between Broadway Street and Glen Valley Drive		
Jurisdiction	City of Ho	uston	
Agency Deployed	Houston-O	Galveston Area Council/Texas Transportation Institute	
GPS Coordinates	29°40'21.0	06"N, 95°16'31.52"W	
Surrounding Land Uses	North	Single-Family Residential, Commercial/Retail	
	South	Single-Family Residential, Commercial/Retail	
	East	Single-Family Residential	
	West	Commercial/Retail, Multi-Family Residential, Single-Family Residential	
What object was device secured to?	Sign Post	Bicycles: Share the Road)	
Sidewalk Width	4'		
Buffer Width	4'		
Street Width	Four-Lane Divided Roadway		
Parallel Parking	No		
Landscaping or Trees	Yes		
Sidewalk Pavement Type	Concrete		
ADA Ramps	Yes		
Sidewalk Condition	Fair (Minc	r Unevenness)	
Speed Limit	35 miles p	er hour	
Street Lighting	Yes		
Street Traffic Volume	21,910 (7800 Bellfort Street: TxDOT – 2012)		
Transit	Yes (METRO Bus Stop 100' Southeast at Bellfort Street Eastbound/Glen Valley Drive and 150' West along Bellfort Street Westbound near Broadway Street)		
Shade	Intermittent		
Have counts been collected by H-GAC at this location before?	No		

Trends

• Usage tends to be slightly higher on weekdays (67 users/day) than during weekends (63 users/day).

- On weekdays, usage is highest in the late afternoon (3:00 p.m. 5:00 p.m.).
- During weekends, usage is highest in the mid-afternoon (2:00 p.m. 3:00 p.m.).

Location Information: Map



Location Information: Photos




Image 37: Bellfort Street Westbound East of Broadway Street Facing East




Image 38: Bellfort Street Westbound East of Broadway Street Facing West

Daily Usage Bellfort Street Westbound East of Broadway Street					
		Select Weather Data*			
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)	
Saturday, August 6, 2016	54	98	77	0	
Sunday, August 7, 2016	55	100	78	0	
Monday, August 8, 2016	72	100	77	0	
Tuesday, August 9, 2016	84	101	77	0	
Wednesday, August 10, 2016	58	100	79	0	
Thursday, August 11, 2016	67	101	82	0	
Friday, August 12, 2016	58	99	82	0	
Saturday, August 13, 2016	30	97	76	0.83	
Sunday, August 14, 2016	81	89	72	1.66	
Monday, August 15, 2016	51	86	75	1.43	
Tuesday, August 16, 2016	67	82	74	2.05	
Wednesday, August 17, 2016	58	83	73	1.73	
Thursday, August 18, 2016	77	88	74	0.19	
Friday, August 19, 2016	64	92	75	0.39	
Saturday, August 20, 2016	76	91	75	0.53	
Sunday, August 21, 2016	79	87	76	Т	
Monday, August 22, 2016	81	89	73	0.33	
Total	1,112				
Average Daily Usage	65				
Average Daily Usage (Weekday)	67				
Average Daily Usage (Weekend)	63				

*Weather conditions recorded at KHOU.



Hourly Usage Bellfort Street Westbound East of Broadway Street					
Time of Day Average Users Per Hour		Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)		
12:00 a.m.	1.0	1.2	0.7		
1:00 a.m.	0.5	0.5	0.5		
2:00 a.m.	0.5	0.5	0.5		
3:00 a.m.	0.5	0.3	0.8		
4:00 a.m.	0.5	0.5	0.5		
5:00 a.m.	0.8	1.1	0.3		
6:00 a.m.	1.2	1.3	1.0		
7:00 a.m.	3.9	4.3	3.2		
8:00 a.m.	3.1	3.4	2.5		
9:00 a.m.	3.8	3.5	4.2		
10:00 a.m.	4.5	4.9	3.8		
11:00 a.m.	3.7	3.4	4.3		
12:00 p.m.	3.8	3.5	4.3		
1:00 p.m.	4.7	4.5	5.0		
2:00 p.m.	5.1	4.1	7.0		
3:00 p.m.	4.9	5.3	4.3		
4:00 p.m.	4.9	5.8	3.3		
5:00 p.m.	3.8	3.5	4.3		
6:00 p.m.	3.9	4.2	3.3		
7:00 p.m.	3.6	4.0	2.8		
8:00 p.m.	2.6	3.2	1.5		
9:00 p.m.	1.3	1.1	1.7		
10:00 p.m.	1.4	1.1	1.8		
11:00 p.m.	1.5	2.0	0.7		



Counter T14

Bellfort Street Eastbound East of Broadway Street

Location Information			
Location Name	Bellfort Street Eastbound East of Broadway Street		
Location Description	Sidewalk along Bellfort Street Eastbound between Broadway Street and Glen Valley Drive		
Jurisdiction	City of Ho	uston	
Agency Deployed	Houston-0	Galveston Area Council/Texas Transportation Institute	
GPS Coordinates	29°40'20.4	40"N, 95°16'32.28"W	
Surrounding Land Uses	North	Single-Family Residential, Commercial/Retail	
	South	Single-Family Residential, Commercial/Retail	
	East	Single-Family Residential	
	West	Commercial/Retail, Multi-Family Residential, Single-Family Residential	
What object was device secured to?	Light Post		
Sidewalk Width	4'		
Buffer Width	4.5'		
Street Width	Four-Lane Divided Roadway		
Parallel Parking	No		
Landscaping or Trees	Yes		
Sidewalk Pavement Type	Concrete		
ADA Ramps	Yes		
Sidewalk Condition	Fair (Minc	or Unevenness and Overgrown Vegetation)	
Speed Limit	35 miles p	er hour	
Street Lighting	Yes		
Street Traffic Volume	21,910 (7800 Bellfort Street: TxDOT – 2012)		
Transit	Yes (METRO Bus Stop 100' East at Bellfort Street Eastbound/Glen Valley Drive)		
Shade	Intermittent		
Have counts been collected by H-GAC at this location before?	No		

Trends


• Usage tends to be higher on weekdays (162 users/day) than during weekends (132 users/day).

• On weekdays, usage is highest in the late afternoon/evening (4:00 p.m. – 6:00 p.m.). There is also a spike in usage earlier in the morning (8:00 a.m. – 9:00 a.m.).

• During weekends, usage is highest in the evening (6:00 p.m. – 7:00 p.m.).

Houston-Galveston Area Council

Location Information: Map



Location Information: Photos




Image 37: Bellfort Street Eastbound East of Broadway Street Facing East




Image 38: Bellfort Street Eastbound East of Broadway Street Facing West

Daily Usage Bellfort Street Eastbound East of Broadway Street					
		Select Weather Data*			
Date	Users	High Temperature (°F)	Low Temperature (°F)	Precipitation (inches)	
Saturday, August 6, 2016	170	98	77	0	
Sunday, August 7, 2016	118	100	78	0	
Monday, August 8, 2016	184	100	77	0	
Tuesday, August 9, 2016	182	101	77	0	
Wednesday, August 10, 2016	166	100	79	0	
Thursday, August 11, 2016	177	101	82	0	
Friday, August 12, 2016	152	99	82	0	
Saturday, August 13, 2016	123	97	76	0.83	
Sunday, August 14, 2016	112	89	72	1.66	
Monday, August 15, 2016	146	86	75	1.43	
Tuesday, August 16, 2016	122	82	74	2.05	
Wednesday, August 17, 2016	128	83	73	1.73	
Thursday, August 18, 2016	167	88	74	0.19	
Friday, August 19, 2016	188	92	75	0.39	
Saturday, August 20, 2016	148	91	75	0.53	
Sunday, August 21, 2016	119	87	76	Т	
Monday, August 22, 2016	165	89	73	0.33	
Total	2,567				
Average Daily Usage	151				
Average Daily Usage (Weekday)	162				
Average Daily Usage (Weekend)	132				

*Weather conditions recorded at KHOU.



Hourly Usage Bellfort Street Eastbound East of Broadway Street					
Time of Day Average Users Per Hour		Average Users Per Hour (Weekdays)	Average Users Per Hour (Weekends)		
12:00 a.m.	2.4	2.5	2.2		
1:00 a.m.	1.9	1.8	2.0		
2:00 a.m.	1.7	1.5	2.2		
3:00 a.m.	1.2	1.6	0.3		
4:00 a.m.	2.2	2.8	1.2		
5:00 a.m.	2.6	2.6	2.5		
6:00 a.m.	5.5	6.5	3.7		
7:00 a.m.	6.8	7.4	5.8		
8:00 a.m.	9.5	10.6	7.3		
9:00 a.m.	8.4	8.6	8.0		
10:00 a.m.	6.9	6.7	7.2		
11:00 a.m.	5.8	6.0	5.3		
12:00 p.m.	7.4	7.6	6.8		
1:00 p.m.	8.3	7.8	9.2		
2:00 p.m.	8.1	9.2	6.2		
3:00 p.m.	8.6	9.1	7.8		
4:00 p.m.	10.5	12.0	7.8		
5:00 p.m.	10.2	11.0	8.7		
6:00 p.m.	10.8	10.5	11.5		
7:00 p.m.	9.2	9.7	8.3		
8:00 p.m.	7.1	7.8	5.7		
9:00 p.m.	5.2	6.2	3.5		
10:00 p.m.	4.6	4.9	4.(
11:00 p.m.	6.1	6.9	4.5		



Participants

Houston-Galveston Area Council: Pedestrian-Bicyclist Planning www.h-gac.com/go/pedbike

Texas Transportation Institute http://tti.tamu.edu/